

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | |
|-------------------------------|---|--------------------------------|
| In re Application of: |) | |
| | : | Examiner: Jeffrey S. Smith |
| HUI CHENG ET AL. |) | |
| | : | TC/Art Unit: 2624 |
| Application No.: 10/722,348 |) | |
| | : | Confirmation No.: 4739 |
| Filed: November 25, 2003 |) | |
| | : | Attorney Docket No.: 18703-460 |
| For: METHOD AND APPARATUS FOR |) | |
| MEASURING QUALITY OF | : | Date: July 16, 2007. |
| COMPRESSED VIDEO SEQUENCES |) | |
| WITHOUT REFERENCES | : | |

Mail Stop: Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

Sir:

Applicants received a Notice of Non-Compliant Amendment ("Notice") dated June 29, 2007, which indicates that amendments to the drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet" as required by 37 CFR 1.121(d). A copy of the Notice is attached.


In response, six (6) sheets of drawings, each of them identified as "Replacement Sheet" are submitted herewith.

Although no fee is believed due, the Commissioner is authorized to charge any required fees to Deposit Account No. 501358.

Applicant's undersigned agent may be reached by telephone at (973) 597-2500.

All correspondence should continue to be directed to our address listed below.

Respectfully submitted,



Rohini K. Garg
Agent for Applicants
Registration No. 45,272

Docket Administrator
Lowenstein Sandler PC
65 Livingston Avenue
Roseland, NJ 07068